UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/511,234	08/17/2005	Patrick Wheeler	16170.2	1825
22913 WORKMAN N	7590 09/25/2007 JYDEGGER		EXAMINER	
60 EAST SOUTH TEMPLE 1000 EAGLE GATE TOWER SALT LAKE CITY, UT 84111		•	LAXTON, GARY L	
			ART UNIT	PAPER NUMBER
	,		2838	
	•			
	,		MAIL DATE	DELIVERY MODE
			09/25/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/511,234	WHEELER ET AL.				
Office Action Summary	Examiner	Art Unit	:			
	Gary L. Laxton	2838				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply by the second will expire SIX (6) MONTHS for a cause the application to become ABANDO	ON. e timely filed rom the mailing date of this communication. DNED (35 U.S.C. § 133).				
Status		: · · · · · · · · · · · · · · · · · · ·	. ;			
1) Responsive to communication(s) filed on 09 July 2007.						
2a)⊠ This action is FINAL . 2b)☐ This						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
· _						
4) Claim(s) <u>1-4,6,8,10-13,15,17,23 and 24</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdray	wn from consideration.		<u>'</u> ;			
5) ☐ Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-4,6,8,10-13,15,17,23 and 24</u> is/are rejected. 7)□ Claim(s) is/are objected to.						
8) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers			: '			
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>12 October 2004</u> is/are: a) accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(c						
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Off	ice Action or form PTO-152.	 			
Priority under 35 U.S.C. § 119		· · · · · · · · · · · · · · · · · · ·	: :			
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
		;				
Attachment(s)	4) Interview Summ	,				
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	ary (PTO-413) il Date					
3) Information Disclosure Statement(s) (PTO/SB/08)	5) 🔲 Notice of Inform	al Patent Application				
Paper No(s)/Mail Date 6) Other:						

Art Unit: 2838

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 7/09/2007 have been fully considered but they are not persuasive. Bernet discloses a matrix of switches (see figure 1) and timing operations (see figures 4-7). Therefore, the examiner finds the amendment to the claims ineffective to overcome the prior art and further finds the applicant's arguments unpersuasive.

Claim Objections

2. Claims 1-4, 6, 8, 10-13, 15 and 17 are objected to because of the following informalities: it is unclear what applicant means by "timing/delay". Does this means timing "and" delay or timing "or" delay or does it mean something else? Appropriate correction is required.

Claim Rejections - 35 USC § 112

- 3. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 4. Claims 23 and 24 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 2838

Regarding claims 23 and 24, the phrase "tables 6 to 11" renders the claim(s) indefinite because the claim(s) include(s) elements not actually disclosed or those encompassed, thereby rendering the scope of the claim(s) unascertainable. It is unclear what the applicant is attempting to claim in claims 23 and 24.

Drawings

5. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the <u>tables 6 to 10</u> must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner,

Art Unit: 2838

the applicant will be notified and informed of any required corrective action in the next.

Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 7. Claims 1-4, 6, 8, 10-13, 15, 17, 23 and 24 are rejected under 35 U.S.C. 102(b) as being anticipated by Bernet.

Bernet discloses a matrix converter (fig. 1) having current commutation circuitry with bidirectional switches (Cr11, Cr21, Cr23 etc.) arranged in a configuration to begin initiation of one switch before deactivation of another switch wherein the current commutation interval is minimized and is considered to approach zero. And, a first switch and a second switch whereby, in a first mode in use, the first switch is activated and the second switch is not activated, and the current commutation circuitry means is operable to activate the second switch means before the first switch means is deactivated (e.g. fig. 5-7).

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Art Unit: 2838

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary L. Laxton whose telephone number is (571) 272-2079. The examiner can normally be reached on Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Karl Easthom can be reached on (571) 272-1989. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2838

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Gary L Laxton/

Gary L. Laxton Primary Examiner Art Unit 2838

9/17/2007